PATENT COOPERATION TREATY

PCT

REC'D 2 3 DEC 2005

WIPO PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference								
RL.P52857WO FOR FUR		ACTION	See Form PCT/IPEA/416					
International application No. PCT/EP2004/052168	International filing dat 14.09.2004	e (day/month/year)	Priority date (day/month/year) 27.09.2003					
International Patent Classification (IPC) or H04Q3/00, H04L29/06, H04L12/66	national classification and	IPC						
10444000, 11044429/00, F104412/00								
Applicant								
TELEFONAKTIEBOLAGET LM ERICSSON (PUBL) et al.								
 This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36. 								
	and the second of the second o							
3. This report is also accompanied								
a. 🛛 sent to the applicant and	to the International Bui	eau) a total of 4 sheets	, as follows:					
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).								
sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.								
b. 🛘 (sent to the International L	b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(a))							
sequence listing and/or tal Box Relating to Sequence	oles related thereto. In	COmputer readable form	only as indicated in the Complemental					
= 557 (6:18.11.19 to 554451.155	Lioung (occ decitor) o	oz or the Administrative	instructions).					
		· · · · · · · · · · · · · · · · · · ·						
4. This report contains indications re	elating to the following	items:						
Box No. I Basis of the opi	nion							
Box No. II Priority								
☐ Box No. III Non-establishm	ent of opinion with reg	ard to novelty, inventive	step and industrial applicability					
☐ Box No. IV Lack of unity of	invention		·					
⊠ Box No. V Reasoned state applicability; cit	Peasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement							
☐ Box No. VII Certain defects	in the international app	olication						
☑ Box No. VIII Certain observations on the international application								
Date of submission of the demand		Date of completion of this						
		Date of completion of this	s report					
15.07.2005		23.12.2005						
Name and mailing address of the internation preliminary examining authority:	al	Authorized Officer	-					
European Patent Office - P.B.	5818 Patentlaan 2		Sentreme reserved.					
NL-2280 HV Rijswijk - Pays B Tel. +31 70 340 - 2040 Tx: 31	as '	Vercauteren, S						
Fax: +31 70 340 - 3016		Telephone No. +31 70 34	10-1045					

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/052168

_	Box I	No. I Basis of th	e report			
With regard to the language, thi filed, unless otherwise indicated			uage, this report is based on ndicated under this item.	on the international application in the language in which it was		
	□ 7 v	This report is basewhich is the langua	d on translations from the o ge of a translation furnishe	riginal language into the following language , d for the purposes of:		
		publication of th	arch (under Rules 12.3 and e international application (diminary examination (unde	under Rule 12.4)		
2.	have	With regard to the elements* of the international application, this report is based on <i>(replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):</i>				
	Descr	iption, Pages				
	1-9		as originally filed			
	Claim	s, Numbers				
	1-17		received on 15.07.	2005 with letter of 14.07.2005		
	Drawi	ngs, Sheets				
	1/7-7/7	•	as originally filed			
	□ а	sequence listing	and/or any related table(s)	see Supplemental Box Relating to Sequence Listing		
з.	□ T	he amendments h	ave resulted in the cancell	ation of:		
		the description, the claims, Nos.				
		the drawings, sh	eets/figs			
		I the sequence list any table(s) rela	ting (<i>specify)</i> : ted to sequence listing <i>(sp</i>	ecify):		
4.	had no	ot been made, sin emental Box (Rule	ce they have been conside 70.2(c)).	f) the amendments annexed to this report and listed below red to go beyond the disclosure as filed, as indicated in the		
		the description, the claims, Nos.	pages			
		the drawings, shall the sequence lis				
			ted to sequence listing <i>(sp</i>	ecify):		
	* I	f item 4 appl:	es, some or all of	these sheets may be marked "superseded."		

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/EP2004/052168

_	Bo	x No. II Priority					
1.	1. This report has been established as if no priority had been claimed due to the failure to furnish within the prescribed time limit the requested: copy of the earlier application whose priority has been claimed (Rule 66.7(a)). translation of the earlier application whose priority has been claimed (Rule 66.7(b)).						
2.	This report has been established as if no priority had been claimed due to the fact that the priority claim has been found invalid (Rule 64.1). Thus for the purposes of this report, the international filing date indicated above is considered to be the relevant date.						
3.	3. Additional observations, if necessary:						
	see separate sheet						
	Box	x No. V Reasoned state		law Audial			
		plicability; citations and e	explanatio	ns suppoi	35(2) with regard to novelty, inventive step or industrial ting such statement		
1.	Sta	tement					
	Nov	/elty (N)	Yes: No:	Claims Claims	1-12, 14-17 13		
	inve	entive step (IS)	Yes: No:	Claims Claims	1-12, 16, 17 13-15		
	Indu	ustrial applicability (IA)	Yes: No:	Claims Claims	1-17		
2.	Cita	itions and explanations (Ru	ıle 70.7):				
	see	separate sheet					
	Вох	No. VIII Certain observ	ations on	the intern	ational application		

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

Re II.

1. The application claims priority of earlier national patent application GB0322711.3 filed on 27.09.2003. This priority claim, however, is not valid for the whole application resp. the whole set of claims, the reasons being as follows.

Claim 13 that is currently on file corresponds to the embodiment as described on page 7, lines 26-31 and as shown in Figure 6.

Claims 14 and 15 correspond to the embodiment as described on page 8, lines 1-24 and as shown in Figure 7.

Said claims resp. passages resp. figures can not be found in or can not unambiguously be derived from said earlier patent application. The priority claim for said claims is therefore not valid.

For the purposes of Rule 33(1) PCT, the international filing date for this part of the application is thus 14.09.2004.

Re Item VIII.

- 2. Claims 1-17 do not meet the requirements of Article 6 PCT for the following reasons.
- 2.1 Although claims 1, 12-17 have been drafted as separate independent method claims, they appear to relate effectively to the same subject-matter and to differ from each other only with regard to the definition of the subject matter for which protection is sought. The aforementioned claims therefore lack conciseness. Moreover, lack of clarity of the claims as a whole arises, since the plurality of independent claims makes it difficult, if not impossible, to determine the subject-matter for which protection is sought, and places undue burden on others seeking to establish the extent of protection.

Hence claims 1-17 do not meet the requirements of Article 6 PCT.

2.2 In claim 1, it is not clear (Article 6 PCT), what is meant by "mapping" a connection,

i.e. the difference between "routing" a connection and "mapping" a connection is not clear.

Re Item V.

Reference is made to the following document:

- D1: ANDERSON J AND WIRDE J: "3G-324M Video Client/server" MASTER OF SCIENCE THESIS, KTH DEPARTMENT OF TELEINFORMATICS, [Online] 25 January 2001 (2001-01-25), XP002315313 Retrieved from the Internet: URL:http://www.student.nada.kth.se/~i95_win/exjobb/Thesis_Andersson_Wirde_A.pdf> [retrieved on 2005-01-26]
- 3. As far the **claims 1-11** can be understood (see the clarity objection raised in point 2), it appears that they meet the requirements of Article 33 (2) and (3) PCT, only <u>in part</u>, for the following reasons.

The document D1 is regarded as being the closest prior art to the subject-matter of claim 1, and discloses (the references in parentheses applying to this document) *a method of setting up and/or controlling a multimedia call* (cf. Figure 9 resp. Figure 10) *involving an H.324* (cf. 3G-324M) *enabled user terminal* (cf. VideoClient (Fig. 9) resp. 3G-324M Terminal (Fig. 10)) *and a circuit switched connection* (cf. HSCSD-connection (Fig. 9) resp. GSM(HSCSD)/UMTS-connection (Fig. 10) *terminating at the user terminal and at a network node* (cf. the VideoServer (Fig. 9) resp. the 3G-324M Content server (Fig. 10) or the 3G-324M/RTSP Media and Signalling Gateway (Fig. 10)), *the method comprising:*

- sending DTMF control signals over the circuit switched connection within H.245 protocol control messages (cf. page 13, last paragraph; page 35, section 3.1.3; page 43, section 3.3.1.2);
- data streams being multiplexed onto the circuit switched connection using the H.223 protocol (cf. page 11, section 2.2.1 and figure 1);
- at said network node, demultiplexing the received data stream to recover the DTMF signals (cf. implicitly disclosed since the network node can be controlled via DTMF signals);

- [alternative 1:] on the basis of said DTMF control signals, routing or re-routing the connection at an intelligent network node to an appropriate data source or
- [alternative 2:] mapping the connection to an appropriate data source (cf. a camera or a precoded movie when connected to the VideoServer of Fig. 15 resp. a RTSP content server when connected to the 3G-324M/RTSP Media and Signalling Gateway of Fig. 10 see also page 34, first paragraph and page 49, section 3.3.3, "reason" 1).

The subject-matter of claim 1 that defines <u>alternative 2</u> is known from document D1 and therefore does not meet the requirements of Article 33 (2) PCT. The same applies to claims 2-11 that are dependent on claim 1 as such.

The subject-matter of claim 2 that defines <u>alternative 1</u> differs from the method of D1 in that the (re)routing is performed at an **intelligent network node**.

The **technical effect** of this difference is an increased flexibility in controlling endpoint selection.

The **problem** to be solved by the present application is thus that the routing can not be controlled in a flexible way.

None of the available prior art documents discloses or hints at a solution by means of the features of claim 1.

Document D1 does not address the above problem. Further, the inclusion of an intelligent network node to flexibly control the routing is too big a step for the skilled to make without the exercise of inventive skill, since intelligent network based services are traditionally being used for devices that support only voice, not for multimedia devices, such as 3G-324M terminals.

The subject-matter of claim 1 that defines <u>alternative 1</u> is therefore new and inventive and therefore meets the requirements of Article 33 (2) and (3) PCT. The same applies to claims 2-11 that are dependent on claim 1 as such.

4. As far as the claims 12, 16 and 17 can be understood (see the clarity objection

raised in point 2), it appears that they contain essentially the same subject-matter as claim 1 defining alternative 1 (see point 3). Therefore, the subject-matter of these claims also meets the requirements of the PCT with respect to novelty (Article 33(2) PCT) and inventive step (Article 33(3) PCT).

5. As far as the claims 13, 14, and 15 can be understood (see the clarity objection raised in point 2), it appears that these claims do contain any additional feature with respect to the method of D1 resp. with respect to claim 1 defining alternative 2, which meets the requirements of the PCT in respect of novelty (Article 33(2) PCT) and/or inventive step (Article 33(3) PCT), since these additional features concern obvious design measures, extensions resp. alternatives and/or are already known from document D1.

<u>Claims</u>

10

20

25

30

1. A method of setting up and/or controlling a multimedia call involving an H.324 enabled user terminal and a circuit switched connection terminating at the user terminal and at a network node, the method comprising:

sending DTMF control signals over the circuit switched connection within H.245 protocol control messages, data streams being multiplexed onto the circuit switched connection using the H.223 protocol;

at said network node, demultiplexing the received data stream to recover the DTMF control signals; and

on the basis of said DTMF control signals, routing or re-routing the connection at an intelligent network node to an appropriate data source or mapping the connection to an appropriate data source.

- 15 2. A method according to claim 1 and comprising sending the DTMF control signals within H.245 UII messages.
 - 3. A method according to claim 1 or 2, wherein said network node is a video gateway.
 - 4. A method according to claim 3 and comprising routing the circuit switched connection through said Intelligent Network node, the Intelligent Network node initially routing the connection to an appropriate video gateway on the basis of caller number, called number, or called or caller party location.
 - 5. A method according to claim 4 and comprising, at the Intelligent Network node, subsequently re-routing the call to a telephone number located at the same or a different video gateway on the basis of a DTMF signal contained in an H.245 control message received at the Intelligent Network node.
 - 6. A method according to claim 3 and comprising, at the video gateway, extracting appropriate H.245 control messages and forwarding these messages

5

10

to said intelligent network node, the intelligent network node determining, on the basis of a DTMF signal or signals contained within the forwarded H.245 messages, an address of a packet switched data source to which the circuit switched connection should be connected, establishing a packet switched connection to that data source, and relaying the packet switched data to the video gateway.

- 7. A method according to any one of the preceding claims, wherein said data source is a peer H.324 or H.232 user terminal.
- 8. A method according to any one of the preceding claims, wherein said data source is a streaming server or video mail server.
- 9. A method according to any one of the preceding claims and comprising mapping a telephone number at which the circuit switched connection is terminated to a Universal Resource Locator identifying said appropriate data source.
- 10. A method according to any one of the preceding claims, wherein said user terminal is a 3G-324M mobile terminal.
 - 11. A method according to claim 1 or 2, wherein said network node is said Intelligent Network node.
- 25 12. A method of operating an Intelligent Network node of a communications network, the method comprising receiving DTMF signals contained within H.245 control messages sent from a user terminal over a circuit switched connection, mapping the DTMF signals to associated telephone numbers terminating at a video gateway, and routing or re-routing the connection to the video gateway on the basis of the determined telephone numbers.
 - 13. A method of operating a video gateway of a communications network,

10

25

30

the method comprising receiving one or more DTMF signals contained within an H.245 control message sent from a user terminal over a circuit switched connection, mapping the DTMF signal(s) to an address of packet switched data sources, and coupling the circuit switched connection to said data source over a packet switched network.

- 14. A method of operating a video gateway of a communications network, the method comprising terminating a circuit switched connection from an H.324 user terminal, receiving H.245 control messages multiplexed onto said connection using H.223, demultiplexing the H.223 stream to recover H.223 messages containing DTMF control signals, and forwarding these H.223 control messages to a service node disposed between the video gateway and a packet switched data source.
- 15. A method of operating a service node of a communications network, the service node being disposed between a video gateway and a packet switched data source, the method comprising receiving H.245 control messages from the video gateway, recovering from the H.245 control messages DTMF control signals provided by a user terminal, mapping one or more of the DTMF control signals to an address of the data source, receiving data from said data source over a packet switched network and forwarding the data to the video gateway.
 - 16. A method of setting up and/or controlling a multimedia call involving a user terminal and a circuit switched connection between the user terminal and a video gateway, the method comprising:

routing circuit switched related signalling to an Intelligent Network, IN, node, with user initiated DTMF signals being contained within H.245 messages; and

at the IN node, detecting H.245 messages containing DTMF signals, and causing the service logic at the IN node to set up and/or control the circuit switched connection to the video gateway in accordance with the received DTMF signals.

- 17. A method of delivering streaming data over a circuit-switched access network from a packet-switched streaming server to a mobile wireless terminal, the method comprising:
- at an Intelligent Network node, selecting a telephone number allocated to a video gateway;

sending a call setup message from said Intelligent Network node to said telephone number and establishing a circuit switched connection between said terminal and the video gateway;

at the video gateway, identifying a packet-switched network address associated with said telephone number; and

receiving streaming data from said packet-switched network address, and forwarding the data to said terminal over said circuit-switched connection.

15

10

5

•15-07-2005 ²⁰⁰⁵ 14:32